

**Notice of Allowability**

Application No.

10/796,141

Examiner

Lee Lum

Applicant(s)

OTAKI ET AL.

Art Unit

3611

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 11/4/05.
2. ☒ The allowed claim(s) is/are 1,2,6,7,9,10,13 and 14.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment                               |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|   | 9. <input type="checkbox"/> Other _____.   |

### EXAMINER'S REASONS FOR ALLOWANCE

1. An Amendment was filed 11/4/05 in which Claims 3-5, 8, 11, 12, 15-17 were also cancelled.
2. **Claims 1, 2, 6, 7, 9, 10, 13 and 14** are allowable because prior art does not disclose a power steering system comprising, *inter alia*,
  - a reversible pump with one outlet connected to a first oil passage, and another outlet to a second oil passage,
  - a bypass passage connecting the first and second passages,
  - a switching valve provided in the bypass passage, and,
  - first and second check valves in the first and second passages, respectively, for allowing one-way supply from a reservoir to each passage.

3. Communication with the Examiner/USPTO

Any inquiry concerning this communication, or others, should be directed to Ms. Lum at 571 272 6649, M-F, 9-5. If she can't be reached, her supervisor, Ms. Lesley Morris, may be reached at 571 272 6651. Our fax number is 571 273 8300.

Information re the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) System as follows: for unpublished apps - private PAIR only, for published apps - private or public PAIR. For more info on PAIR - <http://pair-direct.uspto.gov>. For more info on private PAIR - call the Electronic Business Center at 866 217 9197.

Ms. Lee Lum-Vannucci  
Examiner  
1/9/06



LESLEY D. MORRIS  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 3600